

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	("making up dark skin")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L2	181828	(cosmetic or composition?) and ((comprising or including or containing or consisting) and ("reflective particles") or ("reflective metal?") or colorants or dye? or ("coloring agent?"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L3	8049	L2 and (foundation or ("foundation type"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L4	2403	L3 and (("make up") or (make-up) or ("making up"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L5	479	L4 and (hue angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L6	456	L5 and (("physiologically acceptable medium") or (medium or carrier or solvent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L7	3	("600" near "680") and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L8	428	((("38" wn1 degree) or ("77" w1n degree)) and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11

L9	428	L8 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L10	171	L8 and ("iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L11	60	L10 and (saturation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L12	36	(L11 or L10 or L9) and (("first composition") or ("second composition"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L13	76	(L11 or L10 or L9 or "I32") and (brown or yellow or black) adj (iron adj oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L14	76	(L11 or L10 or L9 or L12) and (brown or yellow or black) adj (iron adj oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L15	4	(L11 or L10 or L9 or L12 or L14) and ("mica- brown iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L16	4	(L11 or L10 or L9 or L12 or L14 or L15) and ("mica-brown")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L17	1567486	("mica brown) or ("mica- brown coated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L18	3607271	("mica brown) or ("mica- brown coated iron oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11

L19	76	L14 and (L17 or L18)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L20	17	L19 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L21	12	(L19 or L20) and ("perfluoroalkyl phosphate")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L22	3	((method or process or procedure) and ((applying or application or ("making-up" or ("making up"))) and skin)) and (L1 and L5 and L6 and L7 and L9 and L10 and L11 and L12 and L13 and L16 and L17 and L19 and L21))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L23	12	((method or process or procedure) and ((applying or application or ("making-up" or ("making up"))) and skin))) and L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L24	6	L12 and (L23 or L22)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L25	6	L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
L26	12	L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:12
L27	3	L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:14

L28	25	"5463009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:16
L29	8	"6451294"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:17
L30	2	"6818205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:17
L31	35	l28 or l29 or l30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:17
L32	25	l31 and (reflective adj particle?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:19
L33	0	l31 and (saturation same hue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:20
L34	0	l31 and (hue adj angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:20
L35	0	l31 and (saturation same reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:21
L36	3	l31 and (reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:21
L37	7	l31 and (angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:26

L38	27	(process or method or device or apparatus) and ((measuring or evaluating or determining) adj (hue adj angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:29
L39	460	"saturation C"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:36
L40	29	l39 and reflectance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:36
L41	8113	(colour or color) adj saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:39
L42	0	l41 same (relective adj particle?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:39
L43	9	l41 same cosmetic?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:39
L44	0	l43 and (hue adj angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:49
S1	3	("making up dark skin")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:31
S2	3	"6238654"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:22

S3	169661	(cosmetic or composition?) and ((comprising or including or containing or consisting) and ("reflective particles") or ("reflective metal?") or colorants or dye? or ("coloring agent?"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:26
S4	7316	S3 and (foundation or ("foundation type"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:27
S5	2114	S4 and (("make up") or (make-up) or ("making up"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:28
S6	438	S5 and (hue angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:28
S7	419	S6 and (("physiologically acceptable medium") or (medium or carrier or solvent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:30
S8	0	("range of from 600 to 680 nm") and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:32
S9	0	("600 to 680 nm") and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:32
S10	3	("600" near "680") and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:34
S11	0	("between about 38. degree. and about 77. degree.") and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:34

S12	0	((("38" near degree) or ("77" near degree)) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:35
S13	394	((("38" wn1 degree) or ("77" w1n degree)) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:36
S14	394	S13 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:36
S15	153	S13 and ("iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:41
S16	54	S15 and (saturation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:44
S17	32	(S16 or S15 or S14) and ("first composition") or ("second composition"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:55
S18	0	(S16 or S15 or S14 or "I32") and ((brown or yellow or black) adj (iron adj oxide) and ((coat or coating or coated)same (perfluoroakly adj phosphate)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:51
S19	66	(S16 or S15 or S14 or "I32") and (brown or yellow or black) adj (iron adj oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:52
S20	66	(S16 or S15 or S14 or S17) and (brown or yellow or black) adj (iron adj oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:43
S21	4	(S16 or S15 or S14 or S17 or S20) and ("mica-brown iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:54

S22	4	(S16 or S15 or S14 or S17 or S20 or S21) and ("mica-brown")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:54
S23	5	("mica brown iron oxide") or ("mica-brown iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:55
S24	1482125	("mica brown) or ("mica-brown coated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:56
S25	3384813	("mica brown) or ("mica-brown coated iron oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:56
S26	0	("mica brown coated reflective particles") or ("mica-brown coated iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:57
S27	0	("mica brown reflective particles") or ("mica-brown coated iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:57
S28	66	S20 and (S24 or S25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:00
S29	15	S28 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:59
S30	12	(S28 or S29) and ("perfluoroalkyl phosphate")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:01



S31	758474	((method or process or procedure) and ((applying or application or ("making-up" or ("making up"))) and skin)) and (S1 or S6 or S7 or S10 or S14 or S15 or S16 or S17 or S19 or S22 or S24 or S28 or S30))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:48
S32	3	((method or process or procedure) and ((applying or application or ("making-up" or ("making up"))) and skin)) and (S1 and S6 and S7 and S10 and S14 and S15 and S16 and S17 and S19 and S22 and S24 and S28 and S30))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:49
S33	12	((method or process or procedure) and ((applying or application or ("making-up" or ("making up"))) and skin))) and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:53
S34	6	S17 and (S33 or S32)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:56

3/ 6/ 2008 10:50:18 AM

C:\Documents and Settings\Crae\My Documents\EAST\Workspaces\10743523-refelct  
particles-hue angle-saturation.wsp